



LEAK TESTING

MediScan

••

MediScan is a tool-less, non-destructive leak detection device for non-porous pouches, sachets and medical device packaging.

Smart Innovation

SEPHA

**SEPHA****MediScan**

MediScan is a tool-less, non-destructive leak detection device for non-porous pouches, sachets and medical device packaging.

• •

The system provides accurate and objective measurements and identifies leaks as small as 10µm* in non-porous flexible barrier packaging including:

- Pouches
- Sachets
- Medical device packaging

MediScan incorporates leak detection technology and software, developed by Sepha, that is utilized on a daily basis by top global pharmaceutical companies to ensure product packaging integrity.



Machine Operation

Sample packs are loaded into a custom designed product nest and the test chamber lid is closed. There are then 4 key test phases:

1. Evacuation Phase:

A pre-determined level of vacuum is applied to generate an expansive force which is monitored throughout the test cycle.

2. Stabilisation Phase:

Following evacuation of the vacuum, a stabilisation phase allows the conditions to normalise.

3. Decay Test Phase:

The decay test phase measures any reduction in head space pressure. If the expansive force decays by more than a set amount the pack will be classed as a failure.

4. Gross Hole Identification Phase:

At the end of the decay phase, if the reactive force is less than the pre-determined level in the test method, a pack will be classed as a gross leak failure.

*Pack dependant

• •

Technical Specification

Pack Type

Sachets, pouches, bags, MAPs and flexible packaging (non-porous)

Test Area

Up to 250mm (L) x 200mm (W) x 100mm (D)

Test Cycle

From 20 seconds per test cycle

Operation

Semi-automatic

Machine Construction

304 Stainless Steel Casework

User Interface

8.4" SVGA (800 x 600) colour TFT LCD display

Utilities

Electrical: 110/230V Single Phase AC 50/60 Hz
Air: 6 Bar

Configuration

2 x USB ports, 1 x Ethernet port

Tooling Changeover

No tooling required.

Machine Dimensions

400mm(L) x 700mm (W) x 500mm (H)

Weight

Machine: 90kg
Shipping Weight: 190kg

Warranty

Supplied with a 12-month warranty. (Service Level Agreements and/or extended warranties are available for additional support).

Key Features

- Non-destructive seal integrity and leak detection device
- No tooling required, making it highly flexible across several pack types and sizes
- Capable of detecting weak seals, channel leaks and holes down to 10µm*
- Table top device
- Easy operator use via touch screen interface and easy load chamber
- Capable of storing multiple test methods for up to 30,000 product types
- User defined password protection ensuring multiple operator use
- Fully validated system
- Production of objective and repeatable results
- Test results can be printed, exported via USB (x2) or integrated into local quality control system via Ethernet cable
- Fast, efficient test speed
- Audit data available and fully 21 CFR part 11 compliant.
- Network connectivity to a central server

* Pack dependent





Smart Innovation

SEPHA Ltd.
Unit 25 Carrowreagh Business Park
Carrowreagh Road, Dundonald
Belfast, BT16 1QQ
United Kingdom

+44 2890 48 48 48
www.sepha.com
info@sepha.com